

TYPICAL FACE VIEW

FINISH:

- B12 WHITE
- (OPTIONAL FINISHES AVAILABLE)

MATERIAL:

- FRAME AND BLADES - EXTRUDED ALUMINUM
- T-BAR LAYIN PANEL & FRAME - STEEL



OPTIONS:

- VCS3 c/w COATED STEEL OPPOSED BLADE DAMPER
- VCS3AL c/w ALUMINUM OPPOSED BLADE DAMPER MILL FINISH





NOTE:

- FOR AVAILABLE CORE PATTERNS AND OPTIONAL FASTENINGS - SEE SHEET 2.
- MINIMUM NOM. SIZE = 6"x4" (152x102), 6"x5" (152x127) WITH VCS3 & VCS3AL
- MAXIMUM NOM. SIZE = 36"x36" (914x914)
- AVAILABLE PANEL SIZES: 12"x12", 24"x24", 48"x24", 300x300, 600x600, 1200x600
- FACTORY TOLERANCE: $\pm 1/32"$ (1)

ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.



- 3P T-BAR LAY-IN PANEL** A = 1" (25)
- 916P T-BAR LAY-IN PANEL** A = 9/16" (14)



PROJECT:

ENGINEER:

CUSTOMER:

SUBMITTAL DATE:

SPEC. SYMBOL:

PRICE®

MG


CVD

203511


2014/06/23

CURVED VANE
SUPPLY AIR DIFFUSER


1 WAY




2 WAY



3 WAY



4 WAY



ALL CORE STYLES SHOWN ARE PLAN VIEW



FASTENING

STANDARD

OPTIONAL

A-MOUNTING

C - MOUNTING



ALL METRIC DIMENSIONS () ARE SOFT CONVERTED. IMPERIAL DIMENSIONS ARE CONVERTED TO METRIC AND ROUNDED TO THE NEAREST MILLIMETER.

PROJECT:



ENGINEER:

Handwritten signature

CUSTOMER:

203511

SUBMITTAL DATE:

SPEC. SYMBOL:

2014/06/23

CVD
CURVED VANE DIFFUSER
(AVAILABLE CORE STYLES
AND FASTENINGS)