


LEDK

LED STATUS INDICATOR - FIELD INSTALLATION KIT

FEATURES:

- LED FILTER STATUS LIGHT IS VISIBLE FROM THE OCCUPIED AREA, SO THERE IS NO NEED TO OPEN THE UNIT
- LEDK MOUNTING BRACKET MOUNTS TO UNIT WITH IN FIELD WITH SELF-TAPPING SCREWS. LED CONTROL BOX MOUNTS TO MOUNTING BRACKET.
- LED LIGHT IS FACTORY CALIBRATED TO TRIGGER ONCE THE FILTER PRESSURE DROP HAS INCREASED TO 50% ABOVE THAT OF AN UNLOADED FILTER AND CAN BE ADJUSTED IN THE FIELD TO SUIT FACILITY PREFERENCES.



PRICE | **CRITICAL ENVIRONMENTS**

PROJECT:




273859

Revision: A


07-07-2023

LEDK

LED STATUS INDICATOR - FIELD INSTALLATION KIT LFDC-1-X, FRFDC-1-X, AMDC-1-X, RFDC-1-X, RVDC-1-X



LEDK MOUNTING BRACKET



NOTES:

- FILTER LED (FL) INDICATOR LIGHT TURNS FROM GREEN TO AMBER WHEN THE PRESSURE DROP OVER THE FILTER EXCEEDS APPROXIMATELY 150% OF THE INITIAL/CLEAN FILTER PRESSURE DROP. FILTER IS STILL FUNCTIONAL, BUT SHOULD BE CHECKED AND/OR REPLACED AT THIS CONDITION.
- FBAS OPTION MAKES THE FILTER SIGNAL AVAILABLE TO THE BUILDING AUTOMATION SYSTEM (BAS)
- 24 VAC POWER SUPPLY BY OTHERS
- LEDK ENCLOSURE MATERIAL - GALVANIZED STEEL
- MOUNTING BRACKET MATERIAL - ALUMINUM OR STAINLESS STEEL

FILTER

- HEPA - 2" - IEST RP CC001 TYPE J
- ULPA - 2" - IEST RP CC001 TYPE F

STATUS INDICATORS

- FL - FILTER STATUS FACE MOUNTED LED
- FL + FBAS - FILTER STATUS FACE MOUNTED LED AND FILTER BAS SIGNAL

PRICE | **CRITICAL ENVIRONMENTS**

PROJECT:




273859

Revision: A

07-07-2023

LEDK

LED STATUS INDICATOR - FIELD INSTALLATION KIT FFU-X-X, PURAFLO-1-X



NOTES:

- FILTER LED (FL) INDICATOR LIGHT TURNS FROM GREEN TO AMBER WHEN THE PRESSURE DROP OVER THE FILTER EXCEEDS APPROXIMATELY 150% OF THE INITIAL/CLEAN FILTER PRESSURE DROP. FILTER IS STILL FUNCTIONAL, BUT SHOULD BE CHECKED AND/OR REPLACED AT THIS CONDITION.
- MOTOR LED (ML) INDICATOR LIGHT TURNS FROM GREEN TO RED WHEN THE FAN FILTER UNIT PRESSURE READING IS BELOW OPERATING RANGE (0.2 IN. W.G.)
- 24 VAC POWER SUPPLY BY OTHERS
- LEDK ENCLOSURE MATERIAL - GALVANIZED STEEL
- MOUNTING BRACKET MATERIAL - ALUMINUM OR STAINLESS STEEL

FILTER

- HEPA -2" - IEST RP CC001 TYPE J
- ULPA - 2" - IEST RP CC001 TYPE F

STATUS INDICATORS

- FL - FILTER STATUS FACE MOUNTED LED
- FL + ML - FILTER AND MOTOR STATUS FACE MOUNTED LED
- FL + ML + BACnet - FILTER AND MOTOR STATUS LED FOR BACnet BOARD (DOES NOT INCLUDE BACnet BOARD)

PRICE | **CRITICAL ENVIRONMENTS**

PROJECT:


273859

Revision: A

07-07-2023


LEDK

LED STATUS INDICATOR - FIELD INSTALLATION KIT SUPPORTING CONTENT




MANUALS

- FFU/PURAFLO INSTALLATION MANUAL
- LEDK FILTER STATUS INDICATOR KIT INSTALLATION MANUAL
- FFU/PURAFLO FAN FILTER UNIT WIRING DIAGRAMS



VIDEOS

- FFU FAN FILTER UNIT CONTROL OPTIONS
- BACnet FLOW CONTROLLER START-UP GUIDE AND BASICS



SUBMITTALS

- FAN FILTER UNIT ROOM-SIDE REPLACEABLE FILTER SUBMITTAL
- FAN FILTER BENCH TOP REPLACEABLE FILTER SUBMITTAL
- PURAFLO CLEANROOM TECHNOLOGIES FOR COMMERCIAL APPLICATION SUBMITTAL
- LAMINAR FLOW DIFFUSER WITH HEPA FILTER SUBMITTAL
- ULTRA LAMINAR FLOW DIFFUSER WITH INTEGRATED LIGHTING SUBMITTAL
- ULTRA FAN FILTER UNIT WITH INTEGRATED LIGHTING SUBMITTAL
- FLUSH FACE RADIAL DIFFUSER WITH HEPA FILTER SUBMITTAL
- RADIAL FLOW DIFFUSER WITH HEPA FILTER SUBMITTAL
- LOUVERED FACE DIFFUSER WITH HEPA FILTER SUBMITTAL
- RADIAL VANE DIFFUSER WITH HEPA FILTER SUBMITTAL



WEBSITE

FOR MORE INFORMATION, VISIT PRICEINDUSTRIES.COM



PROJECT:

273859

Revision: A

07-07-2023